
lincat

SILVERLINK 600



BM6BW - Lincat Silverlink 600 Electric Counter-top Bain Marie - Wet Heat -Gastronorms - Base + Dish Pack - W 600 mm -2.0 kW The Silverlink 600 Electric Wet Heat Bain Marie safely holds sauces, soups, gravy and precooked foods for up to two hours at the ideal serving temperature



- Ideal for holding foods for up to 2 hours at serving temperature
- 2 x 1/4 and 2x 1/2 150mm deep gastronorms with lids are included
- This wet unit can also be used as a dry bain marie

Plug and play for an easy installation

 Perfect for safely holding sauces, gravy & precooked foods

Adjustable temperature control

Specifications

Summary		Power and Performance	
Brand	Lincat	Total Power kW	2.00
Range	Silverlink 600	IP Rating	IP33
Power Type	Electric	Temperature Control	Mechanical
Unit Type	Counter-top		
Available in UK Only	No		
UK Warranty	2 Years Parts and Labour Warranty		
Export Warranty	Contact your local dealer		
GTIN	5056105100522		
Key Specifications		Capacity	
Drain Location	Front-mounted	Gastronorm Capacity	2 × GN1/2; 2 × GN1/4
Pot Type	Gastronorm		
Type of Heat	Wet		
Weights and Dimensions		Supply Connections	
Unit Height (External) mm	290	Requires Installation	No
Unit Width (External) mm	600	Requires Electrical Supply	Yes
Unit Depth (External) mm			
Unit Depth (External) min	600	UK 3 Pin Plug	Yes
Net Weight Kg	600 18.9	UK 3 Pin Plug Requires Hardwiring	Yes No
		•	
		Requires Hardwiring	No

Shipping

Packed Weight Kg	20.79
Packed Height cm	49.5
Packed Width cm	70
Packed Depth cm	70

Available Accessories CC6 Lincat Silverlink 600 Free-standing Ambient Open-Top Pedestal with Doors - W 600 mm CN6 Lincat Silverlink 600 Free-standing Ambient Open-Top Pedestal without Doors - W 600 mm

Product Code: BM6BW


Page Number: 1


lincat


SILVERLINK 600

Available Accessories		
HC6	Lincat Silverlink 600 Free-standing Heated Open-Top Pedestal with Doors - W 600 mm - 0.5 kW	
HCL6	Lincat Silverlink 600 Free-standing Heated Pedestal with Legs and Doors - W 600 mm - 0.5 kW	
SLS6	Lincat Silverlink 600 Free-standing Floor Stand - for units W 600 mm	

Technical Picture









SILVERLINK 600

Lincat fift

Lincat Limited

Whisby Road, Lincoln, LN6 30Z,

United Kingdom

Company No: 2175448

A member company of



Customer Care

Tel: +44 1522 875500 Email: care@lincat.co.uk

Export Customers

Tel: +44 1522 875536

Email: export@lincat.co.uk

Opening Hours

Monday – Friday: 8.30am – 5pm