SILVERLINK 600



CS4/G - Lincat Silverlink 600 Electric Counter-top Chip Scuttle with Overhead Gantry - W 450 mm - 1.0 kW

- Heated from above and below to maintain even temperature of food
- Overhead heat lamp imparts a warm glow on the food being held
- Provide a continuous supply of chips and other fried food, quickly and easily

Keep chips and other fried food deliciously crisp and succulent with the Silverlink 600 Electric Chip Scuttle.

- Crisp chips, the perforated drain plates ensures any excess oil is drained away
- Adjustable temperature control
- Removable 1/1 GN size chip container for convenience and ease of cleaning

Specifications

| Summary | | Power and Performance | |
|---------------------------|-----------------------------------|--------------------------------|------------|
| Brand | Lincat | Total Power kW | 1.00 |
| Range | Silverlink 600 | IP Rating | IP33 |
| Power Type | Electric | Temperature Control | Mechanical |
| Unit Type | Counter-top | | |
| Available in UK Only | No | | |
| UK Warranty | 2 Years Parts and Labour Warranty | | |
| Export Warranty | Contact your local dealer | | |
| GTIN | 5056105100065 | | |
| Key Specifications | | Capacity | |
| Heated Base | Yes | Gastronorm Capacity | 1 × GN1/1 |
| Heated Gantry | Yes | | |
| Weights and Dimensions | | Supply Connections | |
| Unit Height (External) mm | 645 | Requires Installation | No |
| Unit Width (External) mm | 450 | Requires Electrical Supply | Yes |
| Unit Depth (External) mm | 600 | UK 3 Pin Plug | Yes |
| Net Weight Kg | 16.5 | Requires Hardwiring | No |
| | | Electrical Supply Rating Watts | 1,000 |
| | | Single Phase Amps | 4.3 |
| | | Single Phase Voltage | 230 |
| Obienies | | | |

Shipping

| Packed Weight Kg | 18.15 |
|------------------|-------|
| Packed Height cm | 88.3 |
| Packed Width cm | 70.3 |
| Packed Depth cm | 70.3 |

| Available Accessories | | |
|-----------------------|---|--|
| CC4 | Lincat Silverlink 600 Free-standing Ambient Open-Top Pedestal with Doors - W 450 mm | |
| CN4 | Lincat Silverlink 600 Free-standing Ambient Open-Top Pedestal without Doors - W 450 mm | |
| HC4 | Lincat Silverlink 600 Free-standing Heated Open-Top Pedestal with Doors - W 450 mm - 0.5 kW | |
| HCL4 | Lincat Silverlink 600 Free-standing Heated Pedestal with Legs and Doors - W 450 mm - 0.5 kW | |

lincat


SILVERLINK 600


Available Accessories


SLS4

Lincat Silverlink 600 Free-standing Floor Stand - for units W 450 mm

Technical Picture









SILVERLINK 600

Lincat fift

Lincat Limited

Whisby Road, Lincoln, LN6 30Z,

United Kingdom

Company No: 2175448

A member company of



Customer Care

Tel: +44 1522 875500 Email: care@lincat.co.uk

Export Customers

Tel: +44 1522 875536

Email: export@lincat.co.uk

Opening Hours

Monday – Friday: 8.30am – 5pm