



GR3/P - Lincat Silverlink 600 Propane Gas Counter-top Salamander Grill - W 600 mm - 5.0 kW

The Silverlink 600 Gas Salamander Grill boasts even heat distribution for maximum output, meaning that producing perfectly grilled meat, fish, and toast has never been as simple or stress-free.

- ✓ Powerful ceramic plaque burners for rapid heat up
- ✓ 6 shelf positions to give maximum flexibility for all catering operations
- ✓ Chrome wire shelf to allow trays and food to be placed on for cooking
- ✓ Cool touch handles for safety
- ✓ Enamelled interior and hood for easy cleaning
- ✓ Removable crumb tray, making it effortless to keep clean

Specifications

| Summary | | Power and Performance | |
|----------------------|-----------------------------------|---------------------------------|------------|
| Brand | Lincat | BTU per Hour | 17,060 |
| Range | Silverlink 600 | Total Power kW | 5.0 |
| Power Type | Gas | Cooking Area (Width x Depth) mm | 410 x 230 |
| Gas Type | Propane Gas | Temperature Control | Mechanical |
| Unit Type | Counter-top | | |
| Available in UK Only | No | | |
| UK Warranty | 2 Years Parts and Labour Warranty | | |
| Export Warranty | Contact your local dealer | | |
| GTIN | 5056105104742 | | |

| Key Specifications | | Capacity | |
|----------------------------|---|-------------------------|---|
| Number of Shelves included | 1 | Product Output per Hour | 42 x 115g [4oz] burgers [frozen], 24 x 225g [8oz] |
| Number of Shelf Positions | 4 | | |
| Number of Heat Zones | 1 | | |

| Weights and Dimensions | | Supply Connections | |
|---------------------------|------|--|--------|
| Unit Height (External) mm | 408 | Requires Installation | Yes |
| Unit Width (External) mm | 600 | Gas Connection BSP | 1/2" |
| Unit Depth (External) mm | 423 | Gas Consumption at full rate Propane m³ per Hour | 0.36 |
| Shelf Dimensions Width mm | 410 | Gas Pressure Propane mbar | 37 |
| Shelf Dimensions Depth mm | 225 | Total heat input at full rate Propane kW | 5 |
| Net Weight Kg | 20.5 | Total heat input at full rate Propane BTU per hour | 17,100 |

| Shipping | |
|------------------|-------|
| Packed Weight Kg | 22.55 |
| Packed Height cm | 49.5 |
| Packed Width cm | 70 |
| Packed Depth cm | 55 |




Available Accessories

| | |
|-------|---|
| ABP03 | BRANDING PLATE KIT |
| CH01 | Caterflex Hose 1/2" - 1 Metre - for use with units up to 66,000 BTU |
| CH02 | Caterflex Hose 1/2" - 1.5 Metre - for use with units up to 56,000 BTU |

Available Accessories

| | |
|--------|---------------------------------------|
| GR3/BS | BENCH STAND FOR GR3 - H410,D350,W605 |
| GR3/FS | FLOOR STAND FOR GR3 - H1260,D350,W605 |
| GR3/WS | Wall Shelf for GR3 |

Technical Picture





Lincat Limited

Whisby Road,
Lincoln, LN6 3QZ,
United Kingdom

Company No: 2175448

A member company of



Customer Care

Tel: +44 1522 875500

Email: care@lincat.co.uk

Export Customers

Tel: +44 1522 875536

Email: export@lincat.co.uk

Opening Hours

Monday – Friday:

8.30am – 5pm