



## GS6/T - Lincat Silverlink 600 Electric Counter-top Griddle - Steel Plate - Twin Zone - W 600 mm - 4.0 kW

Whether you're cooking eggs, bacon, burgers or vegetables, the versatile Silverlink 600 Electric Griddle won't let you down.

- ✓ Two separately controlled heat zones give you the option of operating either zone independently to provide a smaller cooking area during quiet periods as well as offering versatility when cooking two separate meals simultaneously
- ✓ Hard wearing 12 mm thick machined steel plate providing even heat distribution and excellent heat retention
- ✓ Thermostatically controlled to give accurate temperatures during the cooking process for consistent results
- ✓ Removable front drainer drawer which also makes for easy cleaning. Ideal for busy establishments
- ✓ The plate is fully welded into the frame to prevent leaks and places where food and carbon can build up

### Specifications

| Summary              |                                   | Power and Performance           |            |
|----------------------|-----------------------------------|---------------------------------|------------|
| Brand                | Lincat                            | Total Power kW                  | 4.0        |
| Range                | Silverlink 600                    | Temperature Range °C            | 50-250     |
| Power Type           | Electric                          | IP Rating                       | IP23       |
| Unit Type            | Counter-top                       | Cooking Area (Width x Depth) mm | 562 x 405  |
| Available in UK Only | No                                | Temperature Control             | Mechanical |
| UK Warranty          | 2 Years Parts and Labour Warranty |                                 |            |
| Export Warranty      | Contact your local dealer         |                                 |            |
| GTIN                 | 5056105104827                     |                                 |            |

### Key Specifications

|                          |        |
|--------------------------|--------|
| Number of Heat Zones     | 2      |
| Grill Plate Surface Type | Smooth |
| Grill Plate Material     | Steel  |

| Weights and Dimensions    |      | Supply Connections             |                        |
|---------------------------|------|--------------------------------|------------------------|
| Unit Height (External) mm | 330  | Requires Installation          | Yes                    |
| Unit Width (External) mm  | 600  | Requires Electrical Supply     | Yes                    |
| Unit Depth (External) mm  | 620  | UK 3 Pin Plug                  | No                     |
| Net Weight Kg             | 39.7 | Requires Hardwiring            | Yes                    |
|                           |      | Electrical Supply Rating Watts | 4,000                  |
|                           |      | Single Phase Amps              | 17.4                   |
|                           |      | Single Phase Voltage           | 230                    |
|                           |      | Three Phase Amps               | L1=8.7; L2=8.7; L3=N/A |
|                           |      | Three Phase Voltage            | 400                    |




### Shipping

|                  |       |
|------------------|-------|
| Packed Weight Kg | 43.67 |
| Packed Height cm | 63.5  |
| Packed Width cm  | 70    |
| Packed Depth cm  | 70    |

## Available Accessories

|             |   |
|-------------|---|
| <b>CC6</b>  | Lincat Silverlink 600 Free-standing Ambient Open-Top Pedestal with Doors - W 600 mm         |
| <b>CN6</b>  | Lincat Silverlink 600 Free-standing Ambient Open-Top Pedestal without Doors - W 600 mm      |
| <b>HC6</b>  | Lincat Silverlink 600 Free-standing Heated Open-Top Pedestal with Doors - W 600 mm - 0.5 kW |
| <b>HCL6</b> | Lincat Silverlink 600 Free-standing Heated Pedestal with Legs and Doors - W 600 mm - 0.5 kW |
| <b>SB6</b>  | 600 GRIDDLE SPLASHB   |
| <b>SLS6</b> | Lincat Silverlink 600 Free-standing Floor Stand - for units W 600 mm                        |

## Technical Picture





#### Lincat Limited

Whisby Road,  
Lincoln, LN6 3QZ,  
United Kingdom

**Company No:** 2175448

A member company of



#### Customer Care

**Tel:** +44 1522 875500

**Email:** [care@lincat.co.uk](mailto:care@lincat.co.uk)

#### Export Customers

**Tel:** +44 1522 875536

**Email:** [export@lincat.co.uk](mailto:export@lincat.co.uk)

#### Opening Hours

**Monday – Friday:**

8.30am – 5pm