



## GS6/TR/E - Lincat Silverlink 600 Electric Counter-top Griddle - Twin Zone - Half-Ribbed Plate - Extra Power - W 600 mm - 5.6 kW

Whether you're cooking eggs, bacon, burgers or vegetables, the versatile Silverlink 600 Electric Griddle won't let you down.

- ✓ Extra powered element for maximum output for a busy kitchen
- ✓ Flexibility of a half smooth, half ribbed plate to give attractive branding lines to your food whilst being able to cook eggs on the smooth half of the plate
- ✓ Two separately controlled heat zones give you the option of operating either zone independently to provide a smaller cooking area during quiet periods as well as offering versatility when cooking two separate meals simultaneously
- ✓ Hard wearing 12 mm thick machined steel plate providing even heat distribution and excellent heat retention
- ✓ Drip draw to collect all the cooking liquids to reduce cleaning times
- ✓ Removable front drainer drawer which also makes for easy cleaning. Ideal for busy establishments
- ✓ The plate is fully welded into the frame to prevent leaks and places where food and carbon can build up

### Specifications

Summary		Power and Performance	
Brand	Lincat	Total Power kW	5.6
Range	Silverlink 600	Temperature Range °C	50-250
Power Type	Electric	IP Rating	IP33
Unit Type	Counter-top	Cooking Area (Width x Depth) mm	562 x 405
Available in UK Only	No	Temperature Control	Mechanical
UK Warranty	2 Years Parts and Labour Warranty		
Export Warranty	Contact your local dealer		
GTIN	5056105104865		

### Key Specifications

Number of Heat Zones	2		
Grill Plate Surface Type	Half-ribbed		
Grill Plate Material	Steel		
Weights and Dimensions		Supply Connections	
Unit Height (External) mm	330	Requires Installation	Yes
Unit Width (External) mm	600	Requires Electrical Supply	Yes
Unit Depth (External) mm	620	UK 3 Pin Plug	No
Net Weight Kg	40	Requires Hardwiring	Yes
		Electrical Supply Rating Watts	5,600
		Single Phase Amps	24.3
		Single Phase Voltage	230
		Three Phase Amps	L1=12.2; L2=12.2; L3=N/A
		Three Phase Voltage	400




## Shipping

Packed Weight Kg	44
Packed Height cm	63.5
Packed Width cm	70
Packed Depth cm	70

## Available Accessories

<b>CC6</b>	Lincat Silverlink 600 Free-standing Ambient Open-Top Pedestal with Doors - W 600 mm
<b>CN6</b>	Lincat Silverlink 600 Free-standing Ambient Open-Top Pedestal without Doors - W 600 mm
<b>HC6</b>	Lincat Silverlink 600 Free-standing Heated Open-Top Pedestal with Doors - W 600 mm - 0.5 kW
<b>HCL6</b>	Lincat Silverlink 600 Free-standing Heated Pedestal with Legs and Doors - W 600 mm - 0.5 kW
<b>SB6</b>	600 GRIDDLE SPLASHB
<b>SLS6</b>	Lincat Silverlink 600 Free-standing Floor Stand - for units W 600 mm

## Technical Picture





#### Lincat Limited

Whisby Road,  
Lincoln, LN6 3QZ,  
United Kingdom

**Company No:** 2175448

A member company of



#### Customer Care

**Tel:** +44 1522 875500

**Email:** [care@lincat.co.uk](mailto:care@lincat.co.uk)

#### Export Customers

**Tel:** +44 1522 875536

**Email:** [export@lincat.co.uk](mailto:export@lincat.co.uk)

#### Opening Hours

**Monday – Friday:**

8.30am – 5pm