



# LCOS - Lincat Lynx 400 Slim Convection Oven - W 405 mm - D 570 mm - 2.5 kW

Lynx 400 Series Slim Convection Oven 2.5kW accommodates 4 x 1/2 gastronorms.

- Powerful fan assisted cooking for uniform heat, and consistent cooking results
- Powerful 2.5kW oven allows rapid heat up time
- Accommodates 4 x 1/2 gastronorms placed directly on shelf runners
- Easy plug and play operation 13A plug
- ▼ Temperature range 50 250°C

- Simple dial controls with 60 minute timer enabling accurate cooking time
- Side opening door with double glazed glass viewing panel, for energy efficiency, and cool touch door
- Two removable chromed rod shelves
- User-replaceable inner door glass, light bulb and door seal

#### **Specifications**

**Number of Shelf Positions** 

Filament Bulb

Stainless Steel

Yes

Type of Lighting

**GN** Compatible

Construction/Finish

Summary		Power and Performance	
Brand	Lincat	Total Power kW	2.5
Range	Lynx 400	Temperature Range °C	50-250
Power Type	Electric	IP Rating	IP24
Unit Type	Counter-top	Controls Position	Lower front
Available in UK Only	No	Temperature Control	Mechanical
UK Warranty	2 Years Parts and Labour Warranty	Timer Range mins	60
Export Warranty	Contact your local dealer		
GTIN	5056105118688		

Export Warranty GTIN	Contact your local dealer 5056105118688			
Key Specifications		Capacity		
Stackable	No	Gastronorm Capacity	4 x GN1/2	
Feet Height/Type	14mm/Rubber	Shelf Spacing mm	80	
Continuous Plug-In Door Seal	No	Capacity Litres	40.23	
Removable Inner Door Glass	Yes			
Handle Type	Grab			
Vented Door	Yes			
Reversible Door	No			
Door Type	Left Hinged			
Phased Cooking	No			
Shelf Timer(s) (Number)	No			
Grill Element/Mode	No			
Core Temp Probe	No			
Steam Injection	No			
Fan(s) Speed	1			
Fan(s) Type	Single direction			
Number of Fan(s)	1			
Removeable Shelf Guides	Yes			
Manual Mode	Yes			
Programmable	No			
Timer Type	Mechanical			
Number of Shelves included	2			

## **Lincat**

Weights and Dimensions		Supply Connections	
Unit Height (External) mm	520	Requires Installation	No
Unit Width (External) mm	405	Requires Electrical Supply	Yes
Unit Depth (External) mm	570	UK 3 Pin Plug	Yes
Height (Internal) mm	362	Requires Hardwiring	No
Width (Internal) mm	285	<b>Electrical Supply Rating Watts</b>	2,500
Depth (Internal) mm	390	Single Phase Amps	10.9
Shelf Dimensions Width mm	288	Single Phase Voltage	230
Shelf Dimensions Depth mm	326	USB Port	No
Net Weight Kg	28.4		
Shipping			
Packed Weight Kg	31.24		
Packed Height cm	60		
Packed Width cm	53		
Packed Depth cm	71		


#### **Available Accessories**


SH140


Shelf for LCOS ovens 288mm x 330mm

## **Technical Picture**











**Lincat Limited** 

Whisby Road,

Lincoln, LN6 3QZ,

United Kingdom

**Company No:** 2175448

A member company of

**Customer Care** 

**Tel:** +44 1522 875500

Email: care@lincat.co.uk

**Export Customers** 

**Tel:** +44 1522 875536

Email: export@lincat.co.uk

**Opening Hours** 

Monday - Friday:

8.30am - 5pm