



## LCS110I - Lincat CombiSlim 1.10 Electric Counter-top Combi Oven - Injection - W 513 mm - 12.7kW

Gain maximum flexibility using minimum space with CombiSlim ovens.

- ✓ Gain maximum flexibility using minimum space with CombiSlim ovens. These combi ovens measure only 51,3 cm in width and fit into all professional kitchens
- ✓ CombiSlim ovens are ideal for small-scale food production in take-away shops, cafés, etc
- ✓ Intuitive touch display SmartTouch® for programming
- ✓ 1/1GN compatible
- ✓ Steam injection, with CombiSmart® humidity control
- ✓ Ability to create cooking programmes with up to 15 steps
- ✓ Rack timer allowing accurate cooking times for different items on different shelves
- ✓ Two-step safety handle

### Specifications

#### Summary

Brand	Lincat
Range	Lincat Combi Ovens
Series	CombiSlim
Power Type	Electric
Unit Type	Counter-top
Available in UK Only	Yes
UK Warranty	2 Years Parts and Labour Warranty
GTIN	5056105120605

#### Power and Performance

Total Power kW	12.7
Temperature Range °C	30-300
IP Rating	IPX4
Temperature Control	Electronic
Oven Rating kW	Steam connection = N/A; Hot air connection = 12.7

#### Key Specifications

WRAS Approved	Yes
Type of Lighting	Halogen
Number of Grids included	0

#### Capacity

Gastronorm Capacity	10 x GN1/1
Portions per Day	90

#### Weights and Dimensions

Unit Height (External) mm	948
Unit Width (External) mm	513
Unit Depth (External) mm	811
Height (Internal) mm	550
Width (Internal) mm	400
Depth (Internal) mm	630
Net Weight Kg	81

#### Supply Connections

Requires Installation	Yes
Requires Electrical Supply	Yes
UK 3 Pin Plug	No
Requires Hardwiring	Yes
Electrical Supply Rating Watts	12,700
Three Phase Amps	L1=21.0; L2=21.0; L3=21.0
Three Phase Voltage	400
Water Connection Pressure Bar	2.5-7
Drain Connection	DN 40 mm
Water Connection	3/4"



## Shipping

<b>Packed Weight Kg</b>	89.1
<b>Packed Height cm</b>	110
<b>Packed Width cm</b>	60
<b>Packed Depth cm</b>	95

## Available Options

### INSTALLATION

<b>LCO2001</b>	Site Survey & Installation
----------------	----------------------------

### COMMISSIONING

<b>LCO3001</b>	Commissioning
----------------	---------------

### R/H DOOR INSTALL




<b>LCO2002</b>	Right Hinged Door Installation
----------------	--------------------------------

## Available Accessories

<b>LCA1013LR</b>	Lincat Combi Oven CombiPlus Stacking Kit and Low Floor Stand - for CombiSlim 1.06 on 1.06
<b>LCA1014LR</b>	Lincat Combi Oven CombiPlus Stacking Kit and Low Floor Stand - for CombiSlim 1.06 on 1.10
<b>LCA3003</b>	Lincat Combi Oven Imperial Non-stick Container - GN1/1(325 x 530 mm) - 20 mm deep
<b>LCA3005</b>	Lincat Combi Oven Imperial Non-stick Container - GN1/1(325 x 530 mm) - 40 mm deep
<b>LCA3007</b>	Lincat Combi Oven Imperial Non-stick Container - GN1/1(325 x 530 mm) - 60 mm deep
<b>LCA3009</b>	Lincat Combi Oven Imperial Pizza and Grilling Sheet - GN1/1(325 x 530 mm)
<b>LCA3011</b>	Lincat Combi Oven Imperial Grilling Grid - GN1/1(325 x 530 mm)
<b>LCA3012</b>	Lincat Combi Oven Imperial Potato Grid - GN1/1(325 x 530 mm) - 28 Potato Capacity
<b>LCA3013</b>	Lincat Combi Oven Imperial Multi-tray - 8 Moulds - GN1/1(325 x 530 mm)
<b>LCA3015</b>	Lincat Combi Oven Non-stick Aluminium Baking Sheet - GN1/1(325 x 530 mm)
<b>LCA3017</b>	Lincat Combi Oven Non-stick Perforated Aluminium Baking Sheet - GN1/1(325 x 530 mm)
<b>LCA3019</b>	Lincat Combi Oven Silicone Baking Mat - GN1/1(325 x 530 mm)
<b>LCA3021</b>	Lincat Combi Oven Steamfry Basket - GN1/1(325 x 530 mm)
<b>LCA3023</b>	Lincat Combi Oven Rack for Spare Ribs - GN1/1(325 x 530 mm)
<b>LCA3024</b>	Lincat Combi Oven Chicken Grid - GN1/2(325 x 265 mm) - 4 Chicken Capacity
<b>LCA3025</b>	Lincat Combi Oven Chicken Grid - GN1/1(325 x 530 mm) - 8 Chicken Capacity
<b>LCA4001</b>	Lincat Combi Oven Software Key - Quick Select Recipes(QSR)
<b>LCA4002</b>	Lincat Combi Oven Software Key - Advanced Rack Timer - Tailored Menu Handling
<b>LCA5003</b>	Lincat Combi Oven Condenser Hood - for CombiSlim Models
<b>LCA6006</b>	Lincat Combi Oven Static Stand for CombiSlim - Open Stand
<b>LCC1001</b>	Hydro Shield 3600 (L) Water Filter Cartridge - Recommended for CombiSlim and Visual Cooking 1.06/1.10
<b>LCC1002</b>	Hydro Shield 6000 (XL) Water Filter Cartridge - Recommended for Visual Cooking 1.20/2.06/2.10/2.20 and all Combi Ovens in hard water areas
<b>LCC1003</b>	Hydro Shield 3600 (L) Water Filter Kit - Including Filter, Filter Head and Hose - Recommended for CombiSlim and Visual Cooking 1.06/1.10
<b>LCC1004</b>	Hydro Shield 6000 (XL) Water Filter Kit - Including Filter, Filter Head and Hose - Recommended for 1.20/2.06/2.10/2.20 + all Ovens in hard water areas
<b>LCC2003</b>	Lincat Protect Intense Detergent - 2 x 5l
<b>LCC2005</b>	Lincat Protect Cleaning Package - 6 x 5l Intense Detergent and 2 x 5l Rinse Aid
<b>LCC2006</b>	Lincat Protect Rinse Aid - 2 x 5l



**Technical Picture**



**Lincat Limited**

Whisby Road,  
Lincoln, LN6 3QZ,  
United Kingdom

**Company No:** 2175448

A member company of



**Customer Care**

**Tel:** +44 1522 875500

**Email:** care@lincat.co.uk

**Export Customers**

**Tel:** +44 1522 875536

**Email:** export@lincat.co.uk

**Opening Hours**

**Monday – Friday:**

8.30am – 5pm