



## PHDR01/N - Lincat Phoenix Dual Fuel Natural Gas Free-standing Oven Range - 6-Zone - W 900 mm - 36kW [Gas] - 6kW [Electric]

The high quality Phoenix dual fuel oven range offers power, durability, and excellent value for money.

- ✓ Powerful 6kW burners - the pan will heat up quicker, speeding up processes such as boiling and sautéing, achieving a caramelised colour faster
- ✓ Fully pressed hob - Simpler and quicker to clean
- ✓ Twin heavy-duty cast iron supports, built to withstand the rigours of the busiest kitchen
- ✓ Low flue, hob top accommodates larger pans
- ✓ Powerful 6kW twin fan assisted oven for more even cooking. Large 4 x GN1/1 capacity enabling four different foods to be cooked simultaneously
- ✓ 2 shelves and 5 shelf positions maximise oven space
- ✓ Castors supplied as standard, not as a chargeable extra

### Specifications

#### Summary

Brand	Lincat
Range	Phoenix
Power Type	Dual Fuel
Gas Type	Natural Gas
Unit Type	Free-standing
Available in UK Only	No
UK Warranty	2 Years Parts and Labour Warranty
Export Warranty	Contact your local dealer
GTIN	5056105121381

#### Power and Performance

BTU per Hour	122,832
Temperature Range °C	40 - 250
IP Rating	IPX4
Temperature Control	Mechanical
Rating per Hob kW	6
Oven Rating kW	6

#### Key Specifications

Number of Shelves included	2
Number of Shelf Positions	5
Number of Hobs	6

#### Capacity

Gastronorm Capacity	4 x GN1/1
---------------------	-----------

#### Weights and Dimensions

Unit Height (External) mm	900
Unit Width (External) mm	900
Unit Depth (External) mm	800
Height (Internal) mm	400
Width (Internal) mm	715
Depth (Internal) mm	530
Shelf Dimensions Width mm	710
Shelf Dimensions Depth mm	512
Net Weight Kg	125

#### Supply Connections

Requires Installation	Yes
Requires Electrical Supply	Yes
UK 3 Pin Plug	No
Requires Hardwiring	Yes
Electrical Supply Rating Watts	6000
Single Phase Amps	26.1
Single Phase Voltage	230
Three Phase Amps	L1=8.7; L2=8.7; L3=8.7
Three Phase Voltage	400
Gas Connection BSP	3/4"
Gas Consumption at full rate Natural m³ per Hour	3.42
Gas Pressure Natural mbar	20
Total heat input at full rate Natural kW	36
Total heat input at full rate Natural BTU per hour	122,832


Shipping

Packed Weight Kg	137.5
Packed Height cm	105
Packed Width cm	100
Packed Depth cm	85

Available Accessories

LK12	NULL
OA8902	SPLASHBACK/SHELF - OG8002

Technical Picture





#### Lincat Limited

Whisby Road,  
Lincoln, LN6 3QZ,  
United Kingdom

**Company No:** 2175448

A member company of



#### Customer Care

**Tel:** +44 1522 875500

**Email:** [care@lincat.co.uk](mailto:care@lincat.co.uk)

#### Export Customers

**Tel:** +44 1522 875536

**Email:** [export@lincat.co.uk](mailto:export@lincat.co.uk)

#### Opening Hours

**Monday – Friday:**

8.30am – 5pm