SILVERLINK 600



SLR9C/P - Lincat Silverlink 600 Propane Gas Free-standing Oven Range - Castors at Rear -6 Burners - W 900 mm -35.5 kW Cook a variety of delicious dishes with the powerful Silverlink 600 Gas Oven Range.

- Rear castors to make moving oven range out for deeper cleaning easier
- Six powerful gas burners with flame failure device for added safety
- High power gas oven with side opening doors for easy access
- Fully pressed and sealed hob tops for easy cleaning
- Robust, easy-to-clean vitreous enamelled cast iron pan supports
- Low level flue maximises working area and enables you to use large stock pots
- Four shelf positions with two removable shelves

Specifications

Shape of Hob

Round

Summary **Power and Performance** Brand **BTU** per Hour 121,126 Total Power kW 35.5 Range Silverlink 600 **Power Type** Gas Temperature Range °C 130-250 Gas Type **Temperature Control** Propane Gas Mechanical **Unit Type** Rating per Hob kW 4.5 Free-standing Available in UK Only Oven Rating kW 8.5 **UK Warranty** 2 Years Parts and Labour Warranty **Export Warranty** Contact your local dealer **GTIN** 5056105105237 **Key Specifications Number of Shelves included** 2 **Number of Shelf Positions** 4 **Number of Hobs** 6

Weights and Dimensions		Supply Connections	Supply Connections	
Unit Height (External) mm	956	Requires Installation	Yes	
Unit Width (External) mm	900	Requires Electrical Supply	No	
Unit Depth (External) mm	600	Gas Connection BSP	1/2"	
Height (Internal) mm	400	Gas Consumption at full rate Propane m³ per Hour	2.54	
Width (Internal) mm	725	Gas Pressure Propane mbar	37	
Depth (Internal) mm	342	Total heat input at full rate Propane	23.8	
Shelf Dimensions Width mm	700	kW	23.8	
Shelf Dimensions Depth mm	342	Total heat input at full rate Propane BTU per hour	121,131	
Hob Dimensions mm	W890 x D500	BTO per flour		
Net Weight Kg	89.9			





Shipping

 Packed Weight Kg
 98.89

 Packed Height cm
 110


 Packed Width cm
 100


 Packed Depth cm
 81


Available Accessories

SLR9/SB SPLASHBACK SLR9/FL

Technical Picture













Lincat Limited

Whisby Road,

Lincoln, LN6 3QZ,

United Kingdom

Company No: 2175448

A member company of

Customer Care

Tel: +44 1522 875500

Email: care@lincat.co.uk

Export Customers

Tel: +44 1522 875536

Email: export@lincat.co.uk

Opening Hours

Monday - Friday:

8.30am - 5pm



Product Code: SLR9C/P Print Date: 12/08/2021 Page Number: 3