## **SILVERLINK 600**



V7/4 - Lincat Silverlink 600 Electric Freestanding Oven - Fanassisted - Larger size - W 750 mm - 4.0 kW The Silverlink 600 Electric Oven guarantees excellent performance and optimum efficiency.

- Large capacity fan assisted oven for increased productivity. Ideal for use in restaurants, takeaways or pubs
- Higher power for For Reduced heat up times and cooking times, for increased efficiency
- Fan assisted oven for superior heat distribution and reduced cooking times
- Rapid cool down feature

- Accommodates 1/1 gastronorms
- Four shelf positions with two removable shelves
- Able to support Silverlink 600 counter top units such as boiling tops, bains marie, griddles and work tops
- Stainless steel interior with radiused corners and removable side shelf supports for easy cleaning

|  | ica |  |
|--|-----|--|
|  |     |  |
|  |     |  |
|  |     |  |

| Summary                    |                                   | Power and Performance          |            |  |
|----------------------------|-----------------------------------|--------------------------------|------------|--|
| Brand                      | Lincat                            | Total Power kW                 | 4.00       |  |
| Range                      | Silverlink 600                    | Temperature Range °C           | 50-250     |  |
| Power Type                 | Electric                          | IP Rating                      | IP34       |  |
| Unit Type                  | Free-standing                     | Temperature Control            | Mechanical |  |
| Available in UK Only       | No                                | Oven Rating kW                 | 4.00       |  |
| UK Warranty                | 2 Years Parts and Labour Warranty |                                |            |  |
| Export Warranty            | Contact your local dealer         |                                |            |  |
| GTIN                       | 5056105105244                     |                                |            |  |
| Key Specifications         |                                   | Capacity                       |            |  |
| Number of Shelves included | 2                                 | Gastronorm Capacity            | 1 x GN1/1  |  |
| Number of Shelf Positions  | 4                                 |                                |            |  |
| Weights and Dimensions     |                                   | Supply Connections             |            |  |
| Unit Height (External) mm  | 674                               | Requires Installation          | Yes        |  |
| Unit Width (External) mm   | 750                               | Requires Electrical Supply     | Yes        |  |
| Unit Depth (External) mm   | 600                               | UK 3 Pin Plug                  | No         |  |
| Height (Internal) mm       | 430                               | Requires Hardwiring            | Yes        |  |
| Width (Internal) mm        | 558                               | Electrical Supply Rating Watts | 4,000      |  |
| Depth (Internal) mm        | 355                               | Single Phase Amps              | 17.4       |  |
| Shelf Dimensions Width mm  | 540                               | Single Phase Voltage           | 230        |  |
| Shelf Dimensions Depth mm  | 355                               |                                |            |  |
| Net Weight Kg              | 49.4                              |                                |            |  |
| Shipping                   |                                   |                                |            |  |
| Packed Weight Kg           | 54.34                             |                                |            |  |
| Packed Height cm           | 86                                |                                |            |  |
| Packed Width cm            | 91                                |                                |            |  |
| Packed Depth cm            | 80                                |                                |            |  |

## **Available Accessories**

SLS7V

Lincat Silverlink 600 Free-standing Floor Stand - for V7 Series Ovens - W 750 mm  $\,$ 





## **Available Accessories**


V7/T

V7 TOP COVER - ACCESSORY ONLY

## **Technical Picture**













**Lincat Limited** 

Whisby Road,

Lincoln, LN6 3QZ,

United Kingdom

Office Mingeom

**Company No:** 2175448

A member company of

**Customer Care** 

**Tel:** +44 1522 875500

Email: care@lincat.co.uk

**Export Customers** 

**Tel:** +44 1522 875536

Email: export@lincat.co.uk

**Opening Hours** 

Monday - Friday:

8.30am - 5pm



Product Code: \(\nabla 7/4\) Page Number: \(3\) Print Date: \(12/08/2021\)