



The Refrigeration Experts

## Product specification



### FSL400L: 400 Ltr Slimline Cabinet Freezer

11-160

Single door freezer cabinet

## Features and benefits

- When space is a prime concern Slimline cabinets provide the ideal storage solution
- Fitted with Foster's revolutionary +stayclear condenser as standard, reducing the need for disruptive site maintenance and offering incredible efficiencies
- Bottom mounted refrigeration system draws air from the cooler part of the kitchen ensuring efficient operation
- LED electronic temperature display for accurate control and clear visual reference
- Slender design, big performance! High quality forced air refrigeration system will operate up to 40°C (ISO Climate Class 5)

## Technical

<b>Refrigerant</b>	R290
<b>Temperature</b>	Freezer -18/-21°C
<b>Electrical supply</b>	230/50/1
<b>Fuse rating (A)</b>	10
<b>Current (A)</b>	2.5
<b>Power (W)</b>	430
<b>Refrigerant mass (g)</b>	70
<b>Thermal heat rejection (kW)</b>	390

## Build

<b>Cabinet type</b>	Standard
<b>Finish ext/int</b>	S/S & Alu
<b>Number of sections</b>	1
<b>Section configuration</b>	Left hinge
<b>System</b>	Integral

## Dimensions

<b>Height (mm)</b>	1910
<b>Width (mm)</b>	600
<b>Depth (mm)</b>	705
<b>Gross volume (ltr)</b>	400
<b>Net volume (ltr)</b>	267.8
<b>Leg type</b>	Braked castors
<b>Gross weight (kg)</b>	93.5
<b>Net weight (kg)</b>	90.5

## Energy

<b>Climate Class</b>	5
<b>Energy grade</b>	F
<b>EEI</b>	92.46
<b>AEC (kWh)</b>	2581
<b>Energy consumption (kWh/24hr)</b>	7.072
<b>GWP</b>	3

Thank you for your interest in this product. We hope you now have everything you need to choose Foster, however if you have any further questions, please do not hesitate to contact us.

Foster Refrigerator, Oldmedow Road, King's Lynn, Norfolk, PE30 4JU  
+44 (0)1553 691122 | [sales@foster-gamko.com](mailto:sales@foster-gamko.com) | [www.fosterrefrigerator.com](http://www.fosterrefrigerator.com)

All images shown are for illustration purpose only. All images and photographs are not intended to be relied upon for, nor to form part of, any contract unless specifically incorporated in writing into the contract. Solely the dimensions and specifications incorporated in the quotation or purchase order confirmation shall be contractually binding.