

# **Product specification**



# FSL800H: 800 Ltr Slimline Cabinet Refrigerator

11-110

Double door refrigerator cabinet

#### Features and benefits

- When space is a prime concern Slimline cabinets provide the ideal storage solution
- Fitted with Foster's revolutionary +stayclear condenser as standard, reducing the need for disruptive site maintenance and offering incredible efficiencies
- Bottom mounted refrigeration system draws air from the cooler part of the kitchen ensuring efficient operation
- LED electronic temperature display for accurate control and clear visual reference
- Slender design, big performance! High quality forced air refrigeration system will operate up to 40°C (ISO Climate Class 5)

We use cookies to ensure you get the best experience on our website.

More information.

Accept all

Decline all

### **Technical**

Refrigerant R290

**Temperature** Refrigerator +1/+4°C

**Electrical** 230/50/1

supply

Fuse rating 10

(A)

4)

**Current (A)** 2.8

**Power (W)** 225

Refrigerant

84

mass (g)

Thermal heat 200

rejection (kW)

#### Build

Cabinet type Standard

Finish ext/int S/S & Alu

Number of sections

Section Left hinge-Right hinge

configuration

System Integral

### **Dimensions**

**Height (mm)** 1910

**Width (mm)** 1200

**Depth (mm)** 705

Gross volume 800

(ltr)

Net volume

(ltr)

535.5

Braked castors

Leg type

Gross weight 193.5

(kg)

-37

Net weight 178

(kg)

## Energy

Climate Class

**Energy grade** D

**EEI** 69.6

**AEC (kWh)** 1036

**Energy** 2.839

consumption (kWh/24hr)

**GWP** 3

Thank you for your interest in this product. We hope you now have everything you need to choose Foster, however if you have any further questions, please do not hesitate to contact us.

Foster Refrigerator, Oldmedow Road, King's Lynn, Norfolk, PE30 4JU +44 (0)1553 691122 | sales@foster-gamko.com | www.fosterrefrigerator.com

All images shown are for illustration purpose only. All images and photographs are not intended to be relied upon for, nor to form part of, any contract unless specifically incorporated in writing into the contract. Solely the dimensions and specifications incorporated in the quotation or purchase order confirmation shall be contractually binding.

We use cookies to ensure you get the best experience on our website.

More information.