

Product specification



FSL800L: 800 Ltr Slimline Cabinet Freezer

11-173

Double door freezer cabinet

Features and benefits

- When space is a prime concern Slimline cabinets provide the ideal storage solution
- Fitted with Foster's revolutionary +stayclear condenser as standard, reducing the need for disruptive site maintenance and offering incredible efficiencies
- Bottom mounted refrigeration system draws air from the cooler part of the kitchen ensuring efficient operation
- LED electronic temperature display for accurate control and clear visual reference
- Slender design, big performance! High quality forced air refrigeration system will operate up to 40°C (ISO Climate Class 5)

We use cookies to ensure you get the best experience on our website.

More information.

Accept all

Decline all

Technical

Refrigerant R290

Temperature Freezer -18/-21°C

Electrical supply

230/50/1

Fuse rating 10

(A)

Current (A) 2.9

Power (W) 520

Refrigerant mass (g)

100

Thermal heat 440

rejection (kW)

Build

Cabinet type Standard

Finish ext/int S/S & Alu

Number of

sections

Section Left hinge, Right hinge

configuration

System Integral

Dimensions

Height (mm) 1910

Width (mm) 1200

Depth (mm) 705

Gross volume 800

(ltr)

Net volume

(ltr)

535.5

126

Braked castors

Leg type

Gross weight 138

(kg)

Net weight

(kg)

Energy

Climate Class 5

Energy grade F

EEI 93.63

AEC (kWh) 3849

10.545 Energy

consumption (kWh/24hr)

GWP 3

We use cookies to ensure you get the best experience on our website. More information.

Thank you for your interest in this product. We hope you now have everything you need to choose Foster, however if you have any further questions, please do not hesitate to contact us.

Foster Refrigerator, Oldmedow Road, King's Lynn, Norfolk, PE30 4JU +44 (0)1553 691122 | sales@foster-gamko.com | www.fosterrefrigerator.com

All images shown are for illustration purpose only. All images and photographs are not intended to be relied upon for, nor to form part of, any contract unless specifically incorporated in writing into the contract. Solely the dimensions and specifications incorporated in the quotation or purchase order confirmation shall be contractually binding.

We use cookies to ensure you get the best experience on our website.

More information.