

### W 32

Compact wine cabinet with dual temperature setting and very low power consumption. The W 32 is made for professional storage of wines and contains adjustable wooden shelves plus a bottom integrated shelf. Made for long-term storage or bringing wine to serving temperature. A discreet cabinet with smoked-glass door that makes an elegant addition to any environment.

- Exclusive wine cabinet
- Dualzone
- Electronic temperature control
- Built-in heater element
- Low-vibration compressor
- Alarm
- Glass with UV-filter
- Recirculating air-cooling system





# W 32 | Gallery







### W 32 |

Capacity	Value
Capacity Wine bottles	38 no.
No. of shelves	6 no.
Shelf load	38 kg.
Shelf dimension	425 x 296, 424 x 434 mm
Shelf material	Iron with wood trim

#### W 32 |

Dimension	Value
Dimension	841 x 493 x 588 mm
Volume	114 L Gross/net
Weight	46 / 41 kg Gross/net

## W 32 |

Dimension	Value
Dimension	841 x 493 x 588 mm
Volume	114 L Gross/net
Weight	46 / 41 kg Gross/net

### W 32 |

Refrigerant/amountR600aTemperature classST-NEnergy0,389 kWh/24Noise39 dBVoltage220-240 VFrequency50 HzTemperature range5-10/10-18 ℃Energy class6	Cooling	Value
Energy       0,389 kWh/24         Noise       39 dB         Voltage       220-240 V         Frequency       50 Hz         Temperature range       5-10/10-18 °C	Refrigerant/amount	R600a
Noise 39 dB  Voltage 220-240 V  Frequency 50 Hz  Temperature range 5-10/10-18 °C	Temperature class	ST-N
Voltage220-240 VFrequency50 HzTemperature range5-10/10-18 °C	Energy	0,389 kWh/24
Frequency 50 Hz Temperature range 5-10/10-18 °C	Noise	39 dB
Temperature range 5-10/10-18 °C	Voltage	220-240 V
· · · · · · · · · · · · · · · · · · ·	Frequency	50 Hz
Energy class G	Temperature range	5-10/10-18 °C
	Energy class	G

#### W 32 |


Value
<b>Ø</b>
•
•
<b>Ø</b>
•

### W 32 |

Packaging	Value
Carton weight	2,9 kg
Eps weight	1,1 kg
Wood weight	0 kg
Plastic weight	0,3 kg

#### W 32

#### **COMPACT WINE CABINET**



25/23/6									
All	m	68	SU	пеп	ren	ts	In	mm	ı

Height, mm	840,5		
Width, mm	493		
Depth, mm	588		
Incl. handle, mm	625		



A/S Vestfrost Falkevej 12 DK-6705 Esbjerg Ø www.vestfrostsolutions.com